

Automatic and Rapid Molecular Detection of *E. coli* and Enterococci in Raw Recreational Water Samples Using the Fully Automated Rheonix CARD® Technology Platform


Richard A. Montagna, Ph.D. Senior Vice President, Scientific Affairs



# Rhēonix

## "Bench top" Molecular Diagnostics

- Sample acquisition
- Sample preparation
  - Cell concentration
  - Cell lysis
  - DNA/RNA isolation
- Gene amplification
  - PCR
  - Others
- Amplicon Detection
  - End point
  - Real time



## Rheonix CARD® Technology



### Chemistry And Reagent Device

#### All functions are automatic

- Microfluidic System
  - All pumps, valves, microchannels, reservoirs and reaction chambers are self-contained
- True & Fully automated "sample preparation"
- Cell concentration/Cell Lysis
- DNA/RNA isolation and purification
- Molecular amplification
- Detection via Hybridization or primer extension
- Onboard readout -multiple formats
- Uniplex or Multiplex Assays
- Immunoassays
- Immunoassays AND Molecular Assays on a single Rheonix CARD® device






### Central Lab or POU Possible

### **EncompassMDx™**

Liquid Handler/Workstation




Portable Controller




- Regardless of instrument no user intervention required
  - Software controlled
  - Once the "raw" sample is introduced everything is automatic
    - Simple performance Hit a button get results


## On-CARD® Valves/Pumps







#### Pump - 3 diaphragms actuated sequentially




### **Automated Rheonix CARD® Processes**

- Khēonix
- Cells can be concentrated, if necessary (via IMS)
- Cells are lysed
  - Can be chemical or enzymatic
- DNA (or RNA) is extracted
- DNA (or RNA) is purified -orthogonal purification possible
- DNA (or RNA) is amplified
  - PCR
  - NASBA
- Amplicons are detected via reverse dot blot
  - Real time PCR also possible

### Reverse Dot Blot on CARD®






### Sample Types Evaluated on Rheonix CARD® Device

#### Clinical


- Whole Blood
- Serum
- Plasma
- Saliva
- Buccal Swabs
- Vaginal Swab
- Whole Tissue (FFPE)
- Non-clinical
  - Drinking Water
  - Recreational Water
  - Juices, Milk, etc.



Rhēonix®

### Sample Types Evaluated on Rheonix CARD® Device

- Clinical
  - Whole Blood
  - Serum
  - Plasma
  - Saliva
  - Buccal Swabs
  - Vaginal Swab
  - Whole Tissue (FFPE)
- Non-clinical
  - Drinking Water
  - Recreational Water
  - Juices, Milk, etc.





Rhēonix



### Warfarin Genotying CARD® - (SNP Assay)

- Raw sample is whole blood
- 3 SNPs evaluated
  - 3 Genotypes each (WT/WT, WT/mut, mut/mut)
- Genomic "calls" made by software
- Results have been confirmed against bi-directional sequencing.
- Will enter US clinical studies soon.








## Design Control: Assay Inputs

Parameter	Target Specification
Input sample	"Raw" beach water sample
Input Volume	100 ml
Concentrate Volume	1-2 ml, ElutraSep Hollow Fiber, 5 min
Input Volume into CARD®	1-2 ml
Time to Result	< 3.5 hours
Target Organisms	E. coli, E. faecium, E. faecalis, E. gallinarum and E. avium
Target genes	E. coli: ECA, 16s rRNA Enterococci: tuf
Detection Limit	100 CFU/100 ml E. coli 33 CFU/100 ml Enterococcci
Ability to Determine Viability Status	Yes



## "Bench top" PCR conditions


- Bench top PCR amplification of E. coli
- Similar results for enterococci






### Spin column: CARD Comparison

- Isolation of DNA
- PCR Amplification



### Rheonix CARD® Results









### PMA: Mechanism of action

#### PMA™ for Selective Detection of Live Pathogens by qPCR




Ref.: Nocker, A., Cheung, C.Y., and Kamper, A.K. (2006). Comparison of propidium monoazide with ethidium monoazide for differentiation of live vs. dead bacteria by selective removal of DNA from dead cells. J. Microbio Meth. 67(2), 310-320.

### Effect of PMA on isolation of nucleic acids



Rhēonix

## Effect of PMA on PCR of nucleic acids




Rhēonix





- "Bench top" feasibility studies used 600W halogen lamp
  - Heat generated required keeping samples on wet ice
  - Would not be compatible with plastic
- CARD will use blue LEDs to generate required light energy.
  - Proof of principal completed







### Blue Light LED Activation of PMA

Live Cells
- + -PMA +PMA -PMA +PMA

### Benefits of Rheonix CARD®



- Rheonix CARD® technology can provide fully automated molecular (and/or immunologic) assays without any user intervention.
- Inexpensive instrumentation (both portable and central lab formats).
- Low cost disposable provides economical solution to POC, POU and Central lab settings.
- Assays are fully automated and controlled by software reducing training requirements.
- Versatile platform that generally requires only a few months to migrate a "bench top" assay to the fully automated Rheonix CARD® Platform.

## Acknowledgements



#### Assay Development

- Peng Zhou, Ph.D.
- Gwendolyn Spizz, Ph.D.
- Rubina Yasmin, Ph.D.
- Cristina McGuire, Ph.D.
- Whitney Honey, M.S.

#### Engineering Staff

- Lincoln Young, B.S.
- Zongyuan Chen, Ph.D.
- Greg Mouchka, M.S.
- Ben Thomas, M.S.

#### Grant Funding Support

- NSF, #IIP-0911028
- NSF, # IIP-1002701
- NSF, # IIP-1057685
- NYSERDA, #4658 & # 6224